

BRESLOW LECTURE 2020: BIBLIOGRAPHY

BY J.A. WELLNER

We give a (partial) bibliography for the 12 November 2020 Breslow Lecture

1. Introduction.

REFERENCES

- [1] ANDERSEN, P. K. (1983). Comparing survival distributions via hazard ratio estimates. *Scand. J. Statist.* **10** 77–85. [MR727444](#)
- [2] BEDNARSKI, T. (1993). Robust estimation in Cox’s regression model. *Scand. J. Statist.* **20** 213–225. [MR1241388](#)
- [3] BEGUN, J. M. (1987). Estimates of relative risk. *Metrika* **34** 65–82. [MR882501](#)
- [4] BEGUN, J. M., HALL, W. J., HUANG, W.-M. and WELLNER, J. A. (1983). Information and asymptotic efficiency in parametric–nonparametric models. *Ann. Statist.* **11** 432–452. [MR696057](#)
- [5] BEGUN, J. M. and REID, N. (1983). Estimating the relative risk with censored data. *J. Amer. Statist. Assoc.* **78** 337–341. [MR711108](#)
- [6] BEGUN, J. M. and WELLNER, J. A. (1983). Asymptotic efficiency of relative risk estimates. In *Contributions to statistics* 47–62. North-Holland, Amsterdam. [MR730447](#)
- [7] BENKESER, D., GILBERT, P. B. and CARONE, M. (2019). Estimating and testing vaccine sieve effects using machine learning. *J. Amer. Statist. Assoc.* **114** 1038–1049. [MR4011756](#)
- [8] BERAN, R. (1981). Nonparametric regression with randomly censored survival data Technical Report, University of California at Berkeley.
- [9] BICKEL, P. J. and RITOV, Y. (2000). Non- and semiparametric statistics: compared and contrasted. *J. Statist. Plann. Inference* **91** 209–228. Prague Workshop on Perspectives in Modern Statistical Inference: Parametrics, Semi-parametrics, Non-parametrics (1998). [MR1814781](#)
- [10] BICKEL, P. J. and RITOV, Y. (2003). Nonparametric estimators which can be “plugged-in”. *Ann. Statist.* **31** 1033–1053. [MR2001641](#)
- [11] BOYD, A. P., KITTELSON, J. M. and GILLEN, D. L. (2012). Estimation of treatment effect under non-proportional hazards and conditionally independent censoring. *Stat. Med.* **31** 3504–3515. [MR3041827](#)
- [12] BRESLOW, N., MCNENEY, B. and WELLNER, J. A. (2003). Large sample theory for semiparametric regression models with two-phase, outcome dependent sampling. *Ann. Statist.* **31** 1110–1139. [MR2001644](#)

*

Keywords and phrases: survival Analysis, Cox model, Model-Misspecification, descriptive statistics, MLE projection

- [13] BRESLOW, N. E., HU, J. and WELLNER, J. A. (2015). Z-estimation and stratified samples: application to survival models. *Lifetime Data Anal.* **21** 493–516. [MR3397503](#)
- [14] BRESLOW, N. E. and LUMLEY, T. (2013). Semiparametric models and two-phase samples: applications to Cox regression. In *From probability to statistics and back: high-dimensional models and processes. Inst. Math. Stat. (IMS) Collect.* **9** 65–77. Inst. Math. Statist., Beachwood, OH. [MR3186749](#)
- [15] BRESLOW, N. E., ROBINS, J. M. and WELLNER, J. A. (2000). On the semi-parametric efficiency of logistic regression under case-control sampling. *Bernoulli* **6** 447–455. [MR1762555](#)
- [16] BRESLOW, N. E. and WELLNER, J. A. (2007). Weighted likelihood for semiparametric models and two-phase stratified samples, with application to Cox regression. *Scand. J. Statist.* **34** 86–102. [MR2325244](#)
- [17] BRESLOW, N. E. and WELLNER, J. A. (2008). A Z-theorem with estimated nuisance parameters and correction note for: “Weighted likelihood for semiparametric models and two-phase stratified samples, with application to Cox regression” [Scand. J. Statist. **34** (2007), no. 1, 86–102; [MR2325244](#)]. *Scand. J. Statist.* **35** 186–192. [MR2391566](#)
- [18] BUJA, A., BROWN, L., BERK, R., GEORGE, E., PITKIN, E., TRASKIN, M., ZHANG, K. and ZHAO, L. (2019). Models as approximations I: consequences illustrated with linear regression. *Statist. Sci.* **34** 523–544. [MR4048582](#)
- [19] BUJA, A., BROWN, L., KUCHIBHOTLA, A. K., BERK, R., GEORGE, E. and ZHAO, L. (2019). Models as approximations II: A model-free theory of parametric regression. *Statist. Sci.* **34** 545–565. [MR4048583](#)
- [20] BUJA, A., KUCHIBHOTLA, A. K., BERK, R., GEORGE, E., TCHETGEN TCHETGEN, E. and ZHAO, L. (2019). Models as approximations—rejoinder [[MR4048584](#); [MR4048585](#); [MR4048586](#); [MR4048587](#); [MR4048588](#); [MR4048589](#); [MR4048590](#); [MR4048591](#); [MR4048592](#); [MR4048582](#); [MR4048583](#)]. *Statist. Sci.* **34** 606–620. [MR4048593](#)
- [21] CHAMBAZ, A., NEUVIAL, P. and VAN DER LAAN, M. J. (2012). Estimation of a non-parametric variable importance measure of a continuous exposure. *Electron. J. Stat.* **6** 1059–1099. [MR2988439](#)
- [22] CHATTERJEE, N., CHEN, Y.-H., MAAS, P. and CARROLL, R. J. (2016). Rejoinder: “Constrained maximum likelihood estimation for model calibration using summary-level information from external big data sources” [[MR3494642](#); [MR3494643](#); [MR3494644](#); [MR3494645](#); [MR3494646](#); [MR3414641](#)]. *J. Amer. Statist. Assoc.* **111** 130–131. [MR3494647](#)
- [23] CHATTERJEE, N., CHEN, Y.-H., MAAS, P. and CARROLL, R. J. (2016). Constrained maximum likelihood estimation for model calibration using summary-level information from external big data sources. *J. Amer. Statist. Assoc.* **111** 107–117. [MR3494641](#)
- [24] CHEN, K., GUO, S., SUN, L. and WANG, J.-L. (2010). Global partial likelihood for nonparametric proportional hazards models. *J. Amer. Statist. Assoc.* **105** 750–760. Supplementary materials available online. [MR2724858](#)
- [25] COX, D. R. (1972). Regression models and life-tables. *J. Roy. Statist. Soc. Ser. B* **34** 187–220. [MR341758](#)
- [26] COX, D. R. (1975). Partial likelihood. *Biometrika* **62** 269–276. [MR400509](#)

- [27] COX, D. R. and REID, N. (1989). On the stability of maximum-likelihood estimators of orthogonal parameters. *Canad. J. Statist.* **17** 229–233. [MR1033105](#)
- [28] DABROWSKA, D. M. (1987). Nonparametric regression with censored survival time data. *Scand. J. Statist.* **14** 181–197. [MR932943](#)
- [29] DABROWSKA, D. M. (1997). Smoothed Cox regression. *Ann. Statist.* **25** 1510–1540. [MR1463563](#)
- [30] DABROWSKA, D. M. and DOKSUM, K. A. (1987). Estimates and confidence intervals for median and mean life in the proportional hazard model. *Biometrika* **74** 799–807. [MR919848](#)
- [31] DABROWSKA, D. M. and DOKSUM, K. A. (1988). Estimation and testing in a two-sample generalized odds-rate model. *J. Amer. Statist. Assoc.* **83** 744–749. [MR963802](#)
- [32] DEREICH, S., SCHEUTZOW, M. and SCHOTTSTEDT, R. (2013). Constructive quantization: approximation by empirical measures. *Ann. Inst. Henri Poincaré Probab. Stat.* **49** 1183–1203. [MR3127919](#)
- [33] DU, P., MA, S. and LIANG, H. (2010). Penalized variable selection procedure for Cox models with semiparametric relative risk. *Ann. Statist.* **38** 2092–2117. [MR2676884](#)
- [34] DUKES, O., MARTINUSSEN, T., TCHETGEN TCHETGEN, E. J. and VANSTEELENDT, S. (2019). On doubly robust estimation of the hazard difference. *Biometrics* **75** 100–109. [MR3953711](#)
- [35] DÜMBGEN, L., SAMWORTH, R. and SCHUHMACHER, D. (2011). Approximation by log-concave distributions, with applications to regression. *Ann. Statist.* **39** 702–730. [MR2816336](#)
- [36] EFRON, B. (1977). The efficiency of Cox’s likelihood function for censored data. *J. Amer. Statist. Assoc.* **72** 557–565. [MR451514](#)
- [37] FAN, J., GIJBELS, I. and KING, M. (1997). Local likelihood and local partial likelihood in hazard regression. *Ann. Statist.* **25** 1661–1690. [MR1463569](#)
- [38] FEIGL, P. (2007). A profile of Norman Breslow. *Lifetime Data Anal.* **13** 439–441. [MR2416529](#)
- [39] FEIGL, P. and ZELEN, M. (1965). Estimation of exponential survival probabilities with concomitant information. *Biometrics* **21** 826 - 838.
- [40] GENTLEMAN, R. and CROWLEY, J. (1991). Local full likelihood estimation for the proportional hazards model. *Biometrics* **47** 1283–1296. [MR1157661](#)
- [41] GERDS, T. A., KATTAN, M. W., SCHUMACHER, M. and YU, C. (2013). Estimating a time-dependent concordance index for survival prediction models with covariate dependent censoring. *Stat. Med.* **32** 2173–2184. [MR3067376](#)
- [42] GILLEN, D. L. and EMERSON, S. S. (2007). Nontransitivity in a class of weighted logrank statistics under nonproportional hazards. *Statist. Probab. Lett.* **77** 123–130. [MR2340117](#)
- [43] GORE, S., POCOCK, S. and KERR, G. R. Regression models and non-proportional hazards in the analysis of breast cancer. *Journal of the Royal Statistical Society, Series C (Applied Statistics)*.
- [44] GRENDER, U. (1956). On the theory of mortality measurement. II. *Skand. Aktuarietidskr.* **39** 125–153 (1957). [MR93415](#)
- [45] HATTORI, S. and HENMI, M. (2012). Estimation of treatment effects based on possibly misspecified Cox regression. *Lifetime Data Anal.* **18** 408–433. [MR2973773](#)
- [46] HEAGERTY, P. J. and ZHENG, Y. (2005). Survival model predictive accuracy and ROC curves. *Biometrics* **61** 92–105. [MR2135849](#)

- [47] HUANG, J. (1999). Asymptotic properties of nonparametric estimation based on partly interval-censored data. *Statist. Sinica* **9** 501–519. [MR1707851](#)
- [48] HUANG, J. Z. and LIU, L. (2006). Polynomial spline estimation and inference of proportional hazards regression models with flexible relative risk form. *Biometrics* **62** 793–802. [MR2247208](#)
- [49] HUBER, P. J. (1967). The behavior of maximum likelihood estimates under non-standard conditions. In *Proc. Fifth Berkeley Sympos. Math. Statist. and Probability (Berkeley, Calif., 1965/66), Vol. I: Statistics* 221–233. Univ. California Press, Berkeley, Calif. [MR0216620](#)
- [50] ISHWARAN, H., KOGALUR, U. B., BLACKSTONE, E. H. and LAUER, M. S. (2008). Random survival forests. *Ann. Appl. Stat.* **2** 841–860. [MR2516796](#)
- [51] ISHWARAN, H. and SUNIL RAO, J. (2008). Clustering gene expression profile data by selective shrinkage. *Statist. Probab. Lett.* **78** 1490–1497. [MR2528341](#)
- [52] KALBFLEISCH, J. D. and PRENTICE, R. L. (1981). Estimation of the average hazard ratio. *Biometrika* **68** 105–112. [MR614947](#)
- [53] KATZMAN, J. L., SHAHAM, U., CLONINGER, A., BATES, J., JIANG, T. and KLUGER, Y. (2016). DeepSurv: Personalized treatment recommender system using a Cox proportional hazards deep neural network Technical Report, Dept. of Computer Science, Yale University.
- [54] KLEIJN, B. J. K. and VAN DER VAART, A. W. (2006). Misspecification in infinite-dimensional Bayesian statistics. *Ann. Statist.* **34** 837–877. [MR2283395](#)
- [55] KLEIJN, B. J. K. and VAN DER VAART, A. W. (2012). The Bernstein-Von-Mises theorem under misspecification. *Electron. J. Stat.* **6** 354–381. [MR2988412](#)
- [56] KUTYNIOK, G. (2020). Discussion of: “Nonparametric regression using deep neural networks with ReLU activation function” [[MR4134774](#)]. *Ann. Statist.* **48** 1902–1905. [MR4134776](#)
- [57] KVAMME, H. V., BORGAN, O. R. and SCHEEL, I. (2019). Time-to-event prediction with neural networks and Cox regression. *J. Mach. Learn. Res.* **20** Paper No. 129, 30. [MR4002883](#)
- [58] LAGAKOS, S. W. and SCHOENFELD, D. A. (1984). Properties of proportional-hazards score tests under misspecified regression models. *Biometrics* **40** 1037–1048. [MR786178](#)
- [59] LEBLANC, M. and CROWLEY, J. (1993). Survival trees by goodness of split. *J. Amer. Statist. Assoc.* **88** 457–467. [MR1224370](#)
- [60] LEBLANC, M. and CROWLEY, J. (1995). Semiparametric regression functionals. *J. Amer. Statist. Assoc.* **90** 95–105. [MR1325117](#)
- [61] LEBLANC, M. and CROWLEY, J. (1995). Step-function covariate effects in the proportional-hazards model. *Canad. J. Statist.* **23** 109–129. [MR1345460](#)
- [62] LIN, D. Y. (2007). On the Breslow estimator. *Lifetime Data Anal.* **13** 471–480. [MR2416534](#)
- [63] LIN, D. Y. and WEI, L. J. (1989). The robust inference for the Cox proportional hazards model. *J. Amer. Statist. Assoc.* **84** 1074–1078. [MR1134495](#)
- [64] LU, W., GOLDBERG, Y. and FINE, J. P. (2012). On the robustness of the adaptive lasso to model misspecification. *Biometrika* **99** 717–731. [MR2966780](#)
- [65] MARTINUSSEN, T. and VANSTEEELANDT, S. (2013). On collapsibility and confounding bias in Cox and Aalen regression models. *Lifetime Data Anal.* **19** 279–296. [MR3084024](#)

- [66] MURPHY, S. A. and VAN DER VAART, A. W. (1996). Likelihood inference in the errors-in-variables model. *J. Multivariate Anal.* **59** 81–108. [MR1424904](#)
- [67] MURPHY, S. A. and VAN DER VAART, A. W. (2000). On profile likelihood. *J. Amer. Statist. Assoc.* **95** 449–485. With comments and a rejoinder by the authors. [MR1803168](#)
- [68] O’SULLIVAN, F. (1993). Nonparametric estimation in the Cox model. *Ann. Statist.* **21** 124–145. [MR1212169](#)
- [69] PRENTICE, R. L. (1973). Exponential survivals with censoring and explanatory variables. *Biometrika* **60** 279–288. [MR324863](#)
- [70] PRENTICE, R. L. and SELF, S. G. (1983). Asymptotic distribution theory for Cox-type regression models with general relative risk form. *Ann. Statist.* **11** 804–813. [MR707931](#)
- [71] RUDSER, K. D., LEBLANC, M. L. and EMERSON, S. S. (2012). Distribution-free inference on contrasts of arbitrary summary measures of survival. *Stat. Med.* **31** 1722–1737. [MR2947520](#)
- [72] SAMWORTH, R. J. (2018). Recent progress in log-concave density estimation. *Statist. Sci.* **33** 493–509. [MR3881205](#)
- [73] SASIENI, P. (1992). Nonorthogonal projections and their application to calculating the information in a partly linear Cox model. *Scand. J. Statist.* **19** 215–233. [MR1183198](#)
- [74] SASIENI, P. (1992). Information bounds for the conditional hazard ratio in a nested family of regression models. *J. Roy. Statist. Soc. Ser. B* **54** 617–635. [MR1160487](#)
- [75] SASIENI, P. (1993). Some new estimators for Cox regression. *Ann. Statist.* **21** 1721–1759. [MR1245766](#)
- [76] SASIENI, P. (1993). Maximum Weighted Partial Likelihood Estimators for the Cox Model. *Journal of the American Statistical Association* **88** 144–152.
- [77] SASIENI, P. (1996). Proportional excess hazards. *Biometrika* **83** 127–141. [MR1399160](#)
- [78] SASIENI, P. and BRETNALL, A. R. (2017). On standardized relative survival. *Biometrics* **73** 473–482. [MR3665964](#)
- [79] SCHEMPER, M., WAKOUNIG, S. and HEINZE, G. (2009). The estimation of average hazard ratios by weighted Cox regression. *Stat. Med.* **28** 2473–2489. [MR2751535](#)
- [80] SCHMIDT-HIEBER, J. (2020). Nonparametric regression using deep neural networks with ReLU activation function. *Ann. Statist.* **48** 1875–1897. [MR4134774](#)
- [81] SOLOMON, P. J. (1984). Effect of misspecification of regression models in the analysis of survival data. *Biometrika* **71** 291–298. [MR767157](#)
- [82] SOLOMON, P. J. (1986). Amendments and corrections: “Effect of misspecification of regression models in the analysis of survival data” [*Biometrika* **71** (1984), no. 2, 291–298; [MR0767157](#) (85j:62108)]. *Biometrika* **73** 245. [MR836460](#)
- [83] STRUTHERS, C. A. and KALBFLEISCH, J. D. (1986). Misspecified proportional hazard models. *Biometrika* **73** 363–369. [MR855896](#)
- [84] TARKHAN, A. and SIMON, N. (2020). BigSurvSGD: Big survival data analysis via stochastic gradient descent Technical Report.
- [85] TAYLOR, J. and TIBSHIRANI, R. (2018). Post-selection inference for ℓ_1 -penalized likelihood models. *Canad. J. Statist.* **46** 41–61. [MR3767165](#)
- [86] TIBSHIRANI, R. (1996). Regression shrinkage and selection via the lasso. *J. Roy. Statist. Soc. Ser. B* **58** 267–288. [MR1379242](#)

- [87] TIBSHIRANI, R. (1997). The Lasso method for variable selection in the Cox model. *Statistics in Medicine* **16** 385 - 395.
- [88] TIBSHIRANI, R. and HASTIE, T. (1987). Local likelihood estimation. *J. Amer. Statist. Assoc.* **82** 559–567. [MR898359](#)
- [89] TIBSHIRANI, R. J., RINALDO, A., TIBSHIRANI, R. and WASSERMAN, L. (2018). Uniform asymptotic inference and the bootstrap after model selection. *Ann. Statist.* **46** 1255–1287. [MR3798003](#)
- [90] VAN DER VAART, A. (2002). Semiparametric statistics. In *Lectures on probability theory and statistics (Saint-Flour, 1999)*. *Lecture Notes in Math.* **1781** 331–457. Springer, Berlin. [MR1915446](#)
- [91] VAN DER VAART, A. W. (1998). *Asymptotic statistics*. *Cambridge Series in Statistical and Probabilistic Mathematics* **3**. Cambridge University Press, Cambridge. [MR1652247](#)
- [92] WANG, Y., XIA, S.-T., TANG, Q., WU, J. and ZHU, X. (2018). A novel consistent random forest framework: Bernoulli random forests. *IEEE Trans. Neural Netw. Learn. Syst.* **29** 3510–3523. [MR3854624](#)
- [93] WHITE, H. (1982). Maximum likelihood estimation of misspecified models. *Econometrica* **50** 1–25. [MR640163](#)
- [94] WU, K., HOU, W. and YANG, H. (2018). Density estimation via the random forest method. *Comm. Statist. Theory Methods* **47** 877–889. [MR3750703](#)
- [95] XU, R. and O’QUIGLEY, J. (2000). Proportional hazards estimate of the conditional survival function. *J. R. Stat. Soc. Ser. B Stat. Methodol.* **62** 667–680. [MR1796284](#)
- [96] ZENG, D. and LIN, D. Y. (2007). Efficient estimation for the accelerated failure time model. *J. Amer. Statist. Assoc.* **102** 1387–1396. [MR2412556](#)
- [97] ZHANG, W. and ZHANG, Y. (2020). Integrated survival analysis of mRNA and microRNA signature of patients with breast cancer based on Cox model. *Journal of Computational Biology* **27** 1486 - 1494.
- [98] ZUCKER, D. M. and KARR, A. F. (1990). Nonparametric survival analysis with time-dependent covariate effects: a penalized partial likelihood approach. *Ann. Statist.* **18** 329–353. [MR1041396](#)

DEPARTMENT OF STATISTICS
UNIVERSITY OF WASHINGTON, SEATTLE
E-MAIL: jaw@stat.washington.edu